

1. Identification of the substance/preparation and company/undertaking

Product name	Honilo 982
SDS no.	453359
Use of the substance/preparation	Metalworking fluid - neat. For specific application advice see appropriate Technical Data Sheet or consult our company representative.
Supplier	BP Europa SE Industrial Lubricants & Services Erkelenzer Straße 20 D-41179 Mönchengladbach Germany Telefon: +49 (0)2161 909-30 Telefax: +49 (0)2161 909-392
EMERGENCY TELEPHONE NUMBER	Carechem: +44 (0) 1235 239 670 (24 hours)
E-mail address	MSDSadvice@bp.com

2. Hazards identification

This preparation is classified as dangerous according to Directive 1999/45/EC as amended and adapted.

Human health hazards Harmful: may cause lung damage if swallowed.

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

3. Composition/information on ingredients

Highly refined mineral oil and additives

Chemical name	CAS no.	%	EINECS / ELINCS.	Classification	
Gas oil - unspecified	64742-46-7	50 - 100	265-148-2	Xn; R65	[1]
Amine neutralised phosphoric acid esters	96690-34-5	0.1 - 1	306-227-4	Xn; R22 Xi; R36/38 N; R51/53	[1]

See section 16 for the full text of the R-phrases declared above

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] PBT-substance

[4] vPvB-substance

Occupational exposure limits, if available, are listed in section 8.

4. First-aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.
Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms appear.
Ingestion	If swallowed, do not induce vomiting. Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed. Can enter lungs and cause damage. Get medical attention.
Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.

5. Fire-fighting measures

Extinguishing media	
Suitable	In case of fire, use water fog, foam, dry chemical or carbon dioxide extinguisher or spray.
Not suitable	Do not use water jet.
Hazardous decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Unusual fire/explosion hazards	This material is not explosive as defined by established regulatory criteria.

Product name	Honilo 982	Product code	453359-FR01	Page:	1/4
Date of issue	15 November 2010	Format	Germany (Germany)	Language	ENGLISH (ENGLISH)

Special fire-fighting procedures

None identified.

Protection of fire-fighters

Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

Fire hazards in the presence of various substances

Swarf fires - Neat metal working oils may fume, thermally decompose or ignite if they come into contact with red hot swarf. To minimise the generation of red hot swarf ensure that a sufficient flow of oil is correctly directed to the cutting edge of the tool to flood it throughout cutting operations. As an additional precaution swarf should be regularly cleared from the immediate area to prevent the risk of fire.

6 . Accidental release measures**Personal precautions**

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Large spill

Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Small spill

Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7 . Handling and storage**Handling**

Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not ingest. If ingested, do not induce vomiting. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Concentrations of mist, fumes and vapours in enclosed spaces may result in the formation of explosive atmospheres. Excessive splashing, agitation or heating must be avoided. During metal working, solid particles from workpieces or tools will contaminate the fluid and may cause abrasions of the skin. Where such abrasions result in a penetration of the skin, first aid treatment should be applied as soon as reasonably possible. The presence of certain metals in the workpiece or tool, such as chromium, cobalt and nickel, can contaminate the metalworking fluid and as a result may induce allergic skin reactions.

Storage

Keep container tightly closed. Keep container in a cool, well-ventilated area.

Germany - Storage code

10

8 . Exposure controls/personal protection**Ingredient name****Occupational exposure limits****ACGIH TLVs**

Gas oil - unspecified

ACGIH (United States).STEL: 10 mg/m³ 15 minute(s). Form: Oil mist, mineral
TWA: 5 mg/m³ 8 hour(s). Form: Oil mist, mineral

For information and guidance, the ACGIH values are included. For further information on these please consult your supplier.

Whilst specific OELs for certain components may be shown in this section, other components may be present in any mist, vapour or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

Exposure controls**Occupational exposure controls**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits. Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Personal protective equipment**Respiratory protection**

None required. However, use of adequate ventilation is good industrial practice.

Hand protection

Wear protective gloves if prolonged or repeated contact is likely.

Chemical-resistant gloves. Recommended: nitrile gloves.

The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

Eye protection

Safety glasses with side shields.

Skin and body

Wear appropriate clothing to avoid prolonged skin contact.

Product name Honilo 982**Product code** 453359-FR01**Page:** 2/4**Date of issue** 15 November 2010**Format Germany****Language** ENGLISH

(Germany)

(ENGLISH)

9 . Physical and chemical properties

General information

Appearance

Physical state	Liquid.
Colour	Colourless.
Odour	Mild

Important health, safety and environmental information

Flash point	☑open cup: >125°C (>257°F) [Cleveland.]
Auto-ignition temperature	>200°C (>392°F)
Viscosity	Kinematic: 4 mm ² /s (4 cSt) at 40°C
Density	<1000 kg/m ³ (<1 g/cm ³) at 20°C
Solubility	insoluble in water.

10 . Stability and reactivity

Stability	The product is stable.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	High temperatures
Materials to avoid	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	Combustion products may include the following: carbon oxides Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 . Toxicological information

Chronic toxicity	
Chronic effects	No known significant effects or critical hazards.
Effects and symptoms	
Eyes	May cause eye irritation.
Skin	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Inhalation	Vapours and aerosol can produce mucous membrane, nose, and throat irritation.
Ingestion	Ingestion may cause gastrointestinal irritation and diarrhoea. Aspiration hazard if swallowed -- harmful or fatal if liquid is aspirated into lungs.

12 . Ecological information

Persistence/degradability	Inherently biodegradable
Mobility	Non-volatile. Liquid. insoluble in water.
Environmental hazards	Not classified as dangerous.

13 . Disposal considerations

Disposal considerations / Waste information	The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
Unused product	
European waste catalogue (EWC)	12 01 07* mineral-based machining oils free of halogens (except emulsions and solutions) However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal code to be assigned by the end user.
Packaging	
European waste catalogue (EWC)	15 01 10* packaging containing residues of or contaminated by dangerous substances

Product name Honilo 982

Product code 453359-FR01

Page: 3/4

Date of issue 15 November 2010

Format Germany

Language ENGLISH

(Germany)

(ENGLISH)

14 . Transport information

Not classified as hazardous for transport (ADR/RID, ADN, IMDG, ICAO/IATA)

15 . Regulatory information

Classification and labelling have been performed according to EU directives 1999/45/EC and 67/548/EEC as amended and adapted.

Label requirements

Hazard symbol or symbols



Harmful

Indication of danger

Risk phrases

R65- Harmful: may cause lung damage if swallowed.

Safety phrases

S24- Avoid contact with skin.

S62- If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Contains

Gas oil - unspecified

Other regulations

Europe inventory

All components are listed or exempted.

United States inventory (TSCA 8b)

All components are listed or exempted.

Australia inventory (AICS)

At least one component is not listed.

Canada inventory

At least one component is not listed.

China inventory (IECSC)

All components are listed or exempted.

Japan inventory (ENCS)

Not determined.

Korea inventory (KECI)

All components are listed or exempted.

Philippines inventory (PICCS)

All components are listed or exempted.

Hazard Class for water (WGK), according to VwVwS

1 Appendix No. 4

16 . Other information

Full text of R-phrases referred to in sections 2 and 3

R22- Harmful if swallowed.

R65- Harmful: may cause lung damage if swallowed.

R36/38- Irritating to eyes and skin.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

History

Date of issue/ Date of revision

15/11/2010.

Date of previous issue

11/03/2010.

Prepared by

Product Stewardship

Notice to reader

Indicates information that has changed from previously issued version.

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from us.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken.

Product name Honilo 982

Product code 453359-FR01

Page: 4/4

Date of issue 15 November 2010

Format Germany

Language ENGLISH

(Germany)

(ENGLISH)